

ボールベアリング No.	内径 d	外径 D	板厚 s	高さ h	最大荷重 P max. N	バネ定数 $C \pm 20\%$ N/mm
6300	24.5	34.5	0.5	2.4	625	329
	28	34.5	0.4	3.1	100	37
6003	28	34.5	0.5	2.9	150	63
6202	28	34.5	0.4	3.1	100	37
6301	30	36.4	0.5	2.5	290	145
	30.8	36.8	0.4	3.2	80	29
6302	30	40	0.5	3.0	160	64
	35.8	41	0.35	3.2	140	49
6004	30	41	0.5	2.9	155	65
	34.5	41	0.35	3.1	160	58
6203	33	39.1	0.5	2.9	320	130
	33	39.1	0.3	2.8	95	38
6204	37	45	0.5	3.0	795	318
	40	46.5	0.4	3.0	135	52
6005	40	46.5	0.5	3.0	230	92
6303	40	46.5	0.4	3.0	135	52
6205	42	51	0.5	3.4	635	219
6304	44	51	0.4	3.6	180	56
6006	45	54	0.5	3.6	235	76
	45	54	0.4	3.7	155	47
6007 6403	51	61	0.5	3.7	520	163
6206						
6305	51	61	0.4	3.6	120	38